



## FIRE RESISTANT TIMBER DOOR & ENHANCED SECURITY SCHEMES DUAL CERTIFICATION

***Certificate number: IFCC 1544***

This is a product certificate to certify that

***Solidcor Limited***

Whittington Way  
Chesterfield  
S41 9AG

Tel: 01246 264245

who fabricate the following timber dual performance fire & security doorsets:

### **Solidcor R30 Fire Door System**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door & SDSec 01 Enhanced Security schemes. This includes the testing of products to **EN1634-1, EN1364-3, PAS24 & BS6375** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve the ratings below are detailed on page 2 of this certificate.

<b>CLASSIFICATION</b>		
<b>FIRE RATING</b>	<b>SECURITY RATING</b>	<b>WEATHER (Performance)</b>
<b>E 30-Sa/EW 30-Sa</b>	<b>PAS24 D</b>	<b>BS6375-1 800</b>



Initial certification: 22 January 2020  
Valid to: 21 January 2025  
Issue status: 1

Ian Woodhouse  
Director of Certification

Page 1 of 2



175

IFC Certification Ltd  
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

## ***Certificate number: IFCC 1544***

The production of fire resistance timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

<b>Doorset Description</b>	<b>Dual Rating</b>	<b>Summary Report</b>
R30	E 30-Sa/EW 30-Sa/PAS24	SFS/19789/01

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificates holder's responsibility to ensure that the latest version/revision of the above assessment/test reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire and security performance.**